

he ideal traveller instrument

Item-#: ODG

Detailed information can be found at www.lefima.de



This glockenspiel goes strong with a full 3 octaves range and special alloy steel bars, which are fixed at only one spot. The bright, clear sound is available at a very reasonable price.

Design features

Bars made from a classical steel alloy

Item-#	Tonerange	Material	lenght(cm)	Weight (lbs / kg)
KM-ODG-G1C4-000	g' – c''''	Stahl / Steel	94	8.1
KM-ODG-F1F4-000	f' – f''''	Stahl / Steel	94	9.0



he ideal traveller instrument

Item-#: ODG

Detailed information can be found at www.lefima.de

Product Features



Notation - Sound



Tuning

The intonation of the instruments refer to the standard pitch a' = 440 Hz. The frequencies in other octave ranges are adopted.

Equipment

Accessories





Foldable Stand

This heavy duty stand is made from robust coated metal and can be set-up easily. The large rubber pads ensure a secure base of the...



he ideal traveller instrument

Item-#: ODG

Detailed information can be found at www.lefima.de



he ideal traveller instrument

Item-#: ODG

Detailed information can be found at www.lefima.de



This glockenspiel goes strong with a full 3 octaves range and special alloy steel bars, which are fixed at only one spot. The bright, clear sound is available at a very reasonable price.



Glockenspiel "Basic" The ideal traveller instrument

Item-#: ODG	Detailed information can be found at www.lefima.de
Space for your notes	
© Copyright Lefima GmbH 2024. Lefima & Aehnelt Percussion, Barbar	aweg 3. 93413 Cham - Telefon / Phone: +49-9971-7604-0

According to the prior art as required minor technical and colour changes reserved. Conditional display color deviations are unavoidable. Advertisements, catalogs, and in particular the presentation of products on the Internet are not a binding offer for the sale of goods through the Lefima GmbH represents the offers on this site are only for freelancers and professionals and not to private customers. The exception applies only to the 2 Choiceproducts, which are offered in a separate area and to which access is only through a separate link to besteht. Angaben specifications, dimensions and weights are approximate values only industry also. © Copyright Lefima GmbH 2024 - www.lefima.de