

Item-#: BD-Outdoor

Detailed information can be found at [www.lefima.de](http://www.lefima.de)



As always the focus is on the sound. Only the highest grade woods are selected for their tried and tested tone producing qualities. Over 160 years of drum building experience with a harmonious coordination of depth and diameter result in shells of superb quality.

Our “Outdoor Festival” range was conceived with an emphasis on weather-insensitive and low-maintenance design. The outside shell is coated with acoustioating, specially developed to be both completely waterproof and resistant to mechanical damage and scratches. acoustioating is constituted in such a way that it does not hinder the shell vibration but allows the sound to project and develop freely.

## Design features

Shell made from birch, rims from tempered high-quality steel, hand polished chromed fittings, wing-screws, extra sturdy casted claw hooks with integrated tension screw insulators and rim protectors.

Item-#	Shell/Bowl (Inch)	Shell/Bowl (cm)	Heads	Tension Screws	Shell material
KB-OF6-2823-2HM	28" x 23"	71,0 x 57,0	FiberSkyn/Renaissance	12	Birke
KB-OF8-2823-2HM	28" x 23"	71,0 x 57,0	FiberSkyn/Renaissance	16	Birke
KB-OF8-3223-2HM	32" x 23"	81,0 x 57,0	FiberSkyn/Renaissance	16	Birke
KB-OF0-3223-2HM	32" x 23"	81,0 x 57,0	FiberSkyn/Renaissance	20	Birke
KB-OF8-3623-2HM	36" x 23"	91,0 x 57,0	FiberSkyn/Renaissance	16	Birke
KB-OF0-3623-2HM	36" x 23"	91,0 x 57,0	FiberSkyn/Renaissance	20	Birke

Item-#: BD-Outdoor

Detailed information can be found at [www.lefima.de](http://www.lefima.de)

## Product Features




**Tab Screws**  
chromed



### design

All lugs, hooks and tuning screws are elaborately hand polished and afterwards chrome-plated or provided with a high-quality chrom...



**„acoustiCoating“**  
„acoustiCoating“ is a specially developed coating which is both completely waterproof an...



### Standing back Rims

Depending on the head tension, the rims are flush with the shell edge or even stand back behind it.



**Steel rims**  
The rims are made of tempered high-quality steel to ensure a smooth power transfer at any point of the fleshhoop.



### Shell from tonewood

The wood used for the shell is selected by hand and processed to sturdy laminated ply-wood with beautiful grain. In a complex proc...



**Protegos**  
Sunk-in Tension ScrewsAll tension screws are sunk in the claw hooks. This avoids injuries while playing and...

## Equipment



**Renaissance**  
Renaissance Heads are similar to natural skin heads with regards to sound and appearance.They feature a warm, dark, focused ...



### FiberSkyn

Characteristical is a well-balanced combination of projection, attack and warmth.

## Accessories

Item-#: BD-Outdoor

Detailed information can be found at [www.lefima.de](http://www.lefima.de)



### Large Casters

The large diameter of the wheels ensures a comfortable moving on uneven ground. Together with the robust frame construction of the...



### rubber absorbers

In a new method of assembly, single parts are no longer screwed but glued, and thus what makes interference noise completely impos...



### Stand with straps

In a new method of assembly, single parts are no longer screwed but glued, and thus what makes interference noise completely impos...



### Renaissance

Renaissance Heads are similar to natural skin heads with regards to sound and appearance. They feature a warm, dark, focused ...



### FiberSkyn

Characteristical is a well-balanced combination of projection, attack and warmth.

Item-#: BD-Outdoor

Detailed information can be found at [www.lefima.de](http://www.lefima.de)

Item-#: BD-Outdoor

Detailed information can be found at [www.lefima.de](http://www.lefima.de)



As always the focus is on the sound. Only the highest grade woods are selected for their tried and tested tone producing qualities. Over 160 years of drum building experience with a harmonious coordination of depth and diameter result in shells of superb quality.

Our “Outdoor Festival” range was conceived with an emphasis on weather-insensitive and low-maintenance design. The outside shell is coated with **acoustioating**, specially developed to be both completely waterproof and resistant to mechanical damage and scratches. **acoustioating** is constituted in such a way that it does not hinder the shell vibration but allows the sound to project and develop freely.

Detailed information can be found at [www.lefima.de](http://www.lefima.de)

According to the prior art as required minor technical and colour changes reserved. Conditional display color deviations are unavoidable. Advertisements, catalogs, and in particular the presentation of products on the Internet are not a binding offer for the sale of goods through the Lefima GmbH represents the offers on this site are only for freelancers and professionals and not to private customers. The exception applies only to the 2 Choiceproducts, which are offered in a separate area and to which access is only through a separate link to besteht. Angaben specifications, dimensions and weights are approximate values only industry also. © Copyright Lefima GmbH 2025 - [www.lefima.de](http://www.lefima.de)