

Item-#: KB-CO

Detailed information can be found at [www.lefima.de](http://www.lefima.de)



**Brass orchestras play on a very high level and demand orchestral instruments meeting this level. The bass drums of „Concerto“ series combine the tonal quality of a professional concert drum and elegance in design with a good price level.**

The harmonic ratio of shell diameter to shell depth is the result of over 150 years experience in the manufacture of orchestral drums. The shells are manufactured by hand with selected woods. This process, a century ago, provides a sound with a warm timbre and bassy shade. Hand polished fitting in a noble drop bring the design to perfection. By tab screws with a special thread, the head pitch can be quickly corrected or changed.

## Design features

Shell made from birch, rims from tempered high-quality steel, hand polished chromed fittings, quick-wing-screws, extra sturdy casted claw hooks with integrated tension screw insulators and rim protectors.  
(Not suitable for natural skin heads)

Item-#	Shell/Bowl (Inch)	Shell/Bowl (cm)	Heads	Tension Screws	Shell material
KB-CO6-2823-2HM	28" x 23"	71,0 x 57,0	FiberSkyn/Renaissance	12	Birke
KB-CO8-2823-2HM	28" x 23"	71,0 x 57,0	FiberSkyn/Renaissance	16	Birke
KB-CO8-3223-2HM	32" x 23"	81,0 x 57,0	FiberSkyn/Renaissance	16	Birke
KB-CO0-3223-2HM	32" x 23"	81,0 x 57,0	FiberSkyn/Renaissance	20	Birke
KB-CO8-3623-2HM	36" x 23"	91,0 x 57,0	FiberSkyn/Renaissance	16	Birke
KB-CO0-3623-2HM	36" x 23"	91,0 x 57,0	FiberSkyn/Renaissance	20	Birke

Item-#: KB-CO

Detailed information can be found at [www.lefima.de](http://www.lefima.de)

## Product Features



### Steel rims

In contrast to conventional drums, the tension screws at all Lefima Sinfonia Drums are guided not by clamping hooks, but by shape...



### Quick Thread Wing-screws

Through its specially cut thread these tension screws allow a very fast retuning or pitch correction.



### Standing back Rims

Depending on the head tension, the rims are flush with the shell edge or even stand back behind it.



### Hand polished fittings

All fittings like lugs, hooks and tuning screws are elaborately hand polished and afterwards chrome-plated.



### Shell from tonewood

The wood used for the shell is selected by hand and processed to sturdy laminated ply-wood with beautiful grain. In a complex proc...

## Equipment



### Renaissance

Renaissance Heads are similar to natural skin heads with regards to sound and appearance. They feature a warm, dark, focused ...



### FiberSkyn

Characteristical is a well-balanced combination of projection, attack and warmth.

## Accessories



### Renaissance

Renaissance Heads are similar to natural skin heads with regards to sound and appearance. They feature a warm, dark, focused ...



### Kalfs Calfskin Head

The sound of natural skins is unmatched! Tucking a natural skin requires experience and skill. We supply wrinkle-free ...

Item-#: KB-CO

Detailed information can be found at [www.lefima.de](http://www.lefima.de)



### FiberSkyn

Characteristical is a well-balanced combination of projection, attack and warmth.



72 - 97 cm  
(81 - 108 cm)

### Stand with straps

In a new method of assembly, single parts are no longer screwed but glued, and thus what makes interference noise completely impos...



72 - 97 cm  
(81 - 108 cm)

### rubber absorbers

In a new method of assembly, single parts are no longer screwed but glued, and thus what makes interference noise completely impos...



### Large Casters

The large diameter of the wheels ensures a comfortable moving on uneven ground. Together with the robust frame construction of the...

Item-#: KB-CO

Detailed information can be found at [www.lefima.de](http://www.lefima.de)

Item-#: KB-CO

Detailed information can be found at [www.lefima.de](http://www.lefima.de)

**Brass orchestras play on a very high level and demand orchestral instruments meeting this level. The bass drums of „Concerto“ series combine the tonal quality of a professional concert drum and elegance in design with a good price level.**

The harmonic ratio of shell diameter to shell depth is the result of over 150 years experience in the manufacture of orchestral drums. The shells are manufactured by hand with selected woods. This process, a century ago, provides a sound with a warm timbre and bassy shade. Hand polished fitting in a noble drop bring the design to perfection.

By tab screws with a special thread, the head pitch can be quickly corrected or changed.

The solid base is a newly developed stand of stainless steel which is extremely durable and sturdy. All its single parts are not screwed together but glued

instead in a special process which makes interference noise completely impossible. With a swivel device the freely suspended drum can be brought into any desired position.

Detailed information can be found at [www.lefima.de](http://www.lefima.de)

According to the prior art as required minor technical and colour changes reserved. Conditional display color deviations are unavoidable. Advertisements, catalogs, and in particular the presentation of products on the Internet are not a binding offer for the sale of goods through the Lefima GmbH represents the offers on this site are only for freelancers and professionals and not to private customers. The exception applies only to the 2 Choiceproducts, which are offered in a separate area and to which access is only through a separate link to besteht. Angaben specifications, dimensions and weights are approximate values only industry also. © Copyright Lefima GmbH 2025 - [www.lefima.de](http://www.lefima.de)